

PASSENGER AND LIGHT TRUCK TIRES

RIDE ON OUR



STRENGTH

EST. 1952



HERCULES TIRES

Ride on our strength.

REDEFINING VALUE SINCE **1952.**



FOR OVER 70 YEARS, Hercules Tires® has been quietly redefining value in the replacement tire industry. We do so by continually giving our customers the performance they demand, the choices they desire and the affordability they deserve. And we deliver it all with a unique combination of cutting-edge expertise and old-fashioned integrity. The result is a better, smarter, more convenient tire buying experience for today's car, light truck and SUV drivers.



PROTECTION

When you take Hercules Tires along for the ride, you can drive confidently, knowing that you have the power of our industry-leading protection plan riding shotgun.



SELECTION

With our wide selection, Hercules Tires has just the tire you're looking for—no matter what you drive, or where you drive it.



CONNECTION

Unlike most replacement tire suppliers, we sell our tires through a network of independent dealers across North America, each trained and empowered to keep you connected to our ongoing support.

HERCULES PERFORMANCE PROMISE



MILEAGE COVERAGE PLAN

We back many of our Hercules brand passenger and light truck tires with our Hercules Mileage Coverage Plan—up to an incredible 85,000 miles.



ROAD HAZARD PROTECTION

We'll replace your damaged tires for **free** within the first **24 months** or **50% of treadlife**.



"TRUST OUR RIDE" 45 DAY TRIAL

If you're not happy with your purchase, we'll replace your tires within the first **45 days** with a comparable set of Hercules Tires.



WORKMANSHIP & MATERIALS

If your tires become unserviceable within the first **50% of treadlife** due to manufacturing defects, we'll replace them for free.



CONTENTS

PERFORMANCE	7
RAPTIS® R-T5	8
H/P 4000	10
TOURING	11
ROADTOUR® 855 SPE	12
ROADTOUR® 655 MRE	14
ROADTOUR® 455	15
ROADTOUR® 455 SPORT	16
SUV / LIGHT TRUCK	17
TERRA TRAC® CROSS-V™	18
TERRA TRAC® AT X-JOURNEY	20
TERRA TRAC® AT X-VENTURE	22
TERRA TRAC® T/G MAX	24
TERRA TRAC® M/T	26
TERRA TRAC® CH4	28
TERRA TRAC® HPT	30
UTV	33
TIS UT1 by Hercules	34
WINTER	37
AVALANCHE® RT	38
AVALANCHE XUV	40
AVALANCHE TT	41
ALL-STEEL LIGHT TRUCK	43
H-901 LT	44
SPECIALTY TRAILER	45
H-901 ST	46
STRONG GUARD ST	47
LOW-PRO H-D	48
LOAD INDEX TABLE	49
SPEED SYMBOLS	51
TIRE SIZES	52

A scenic photograph of a winding asphalt road through a dense forest of tall evergreen trees. The road curves through the valley, with a rocky cliff face visible in the background under a clear blue sky.

PERFORMANCE

MILEAGE COVERAGE

RAPTIS R-T5

ROAD HAZARD PROTECTION
“TRUST OUR RIDE”
45 DAY TRIAL

H/P 4000

WORKMANSHIP &
MATERIALS

-
-
-
-

See complete Limited Protection Policy at herculestires.com.



**WHEEL
DIAMETER
RANGE**

17" – 20"

SPEED RATING

W-Rated

SIZE: _____

PRICE: _____



RAPTIS® R-T5

PREMIUM UHP | ALL-SEASON



- CoolCourse™ temperature control system to optimize performance and enhance tire life.
- 3D UltraWave™ siping and an asymmetric tread design for greater control and tighter handling.
- High-grade silica tread compound and Hercules EvacuTrack™ grooves for better wet traction.
- 500 AA A UTQG – the highest traction grading possible.
- Wide footprint increases contact with the road surface for better control and maximum grip.



H/P 4000

COSMETIC PERFORMANCE | ALL-SEASON



- Performance-enhanced tread design for cutting-edge traction in all conditions.
- Raised white lettering adds a classic touch of personality and style.
- Large multi-siped tread blocks taper into a rounded shoulder.
- Wide solid center rib delivers high-speed stability and ensures constant rubber-to-road contact.

WHEEL DIAMETER RANGE

14" – 15"

SPEED RATING

S/T-Rated

SIZE:**PRICE:**

TOURING

MILEAGE COVERAGE**ROAD HAZARD PROTECTION****"TRUST OUR RIDE" 45 DAY TRIAL****WORKMANSHIP & MATERIALS**

ROADTOUR 855 SPE • • • •

ROADTOUR 655 MRE • • • •

ROADTOUR 455 • • • •

ROADTOUR 455 SPORT • • • •

See complete Limited Protection Policy at herculestires.com.



**WHEEL
DIAMETER
RANGE**

15" – 20"

SPEED RATING

T/H/V-Rated

SIZE:

PRICE:



ROADTOUR® 855 SPE

GRAND TOURING | ALL-SEASON



- Semi-solid center rib promotes crisp handling and driver comfort while maintaining traction and water evacuation.
- Solid shoulder with offset grooves promotes greater stability and reduced road surface noise.
- Asymmetric tread pattern strengthens stability and dry traction.
- 3D and full depth sipes combine to offer improved traction and lasting performance.



Proudly made in the USA.



ROADTOUR® 655 MRE

PREMIUM TOURING | ALL-SEASON



- Four-pitch sequence allows more lateral grooves, improving traction without increasing noise.
- Thin-gauge siping enhances traction and stability without sacrificing flexibility.
- Zig-zag siping creates more biting edges and reduces lateral movement for improved handling.
- Advanced profile design optimizes surface contact for maximum traction and tread life.



**WHEEL
DIAMETER
RANGE**

15" – 18"

SPEED RATING

T/H/V-Rated

SIZE: _____

PRICE: _____



Proudly made in the USA.

ROADTOUR® 455

TOURING | ALL-SEASON



- Non-directional tread pattern promotes even wear and longer life.
- Strategically placed full depth siping creates a biting grip and greater stability.
- Optimized four-pitch sequence reduces road noise for a quieter ride.
- Solid center rib delivers crisp handling and driver comfort.



**WHEEL
DIAMETER
RANGE**

14" – 18"

SPEED RATING

T/H-Rated

SIZE: _____

PRICE: _____



Proudly made in the USA.



ROADTOUR® 455 SPORT

PERFORMANCE TOURING | ALL-SEASON



- Asymmetric tread design enhances traction and cornering.
- Updated profile design optimizes surface contact with the road for increased traction and tread life.
- Strategically placed full depth siping creates a biting grip and greater stability.
- Solid center rib delivers crisp handling and driver comfort.



**WHEEL
DIAMETER
RANGE**

17" – 19"

SPEED RATING

V-Rated

SIZE: _____

PRICE: _____



Proudly made in the USA.



SUV / LIGHT TRUCK

MILEAGE COVERAGE

ROAD HAZARD
PROTECTION

"TRUST OUR RIDE"
45 DAY TRIAL

WORKMANSHIP &
MATERIALS

TERRA TRAC CROSS-V
TERRA TRAC AT X-JOURNEY
TERRA TRAC AT X-VENTURE
TERRA TRAC T/G MAX
TERRA TRAC M/T
TERRA TRAC CH4
TERRA TRAC HPT

See complete Limited Protection Policy at herculestires.com.



**WHEEL
DIAMETER
RANGE**

16" – 22"

LOAD ID

STD/XL/E

SIZE: _____

PRICE: _____



TERRA TRAC® CROSS-V™

PREMIUM SUV-LT/CUV | ALL-SEASON



- Open shoulder design and a unique water guard help maintain contact with the road surface for all-weather, all-road traction.
- Reinforced shoulder blocks and tie bars promote stability and create secure handling.
- Sophisticated tread pattern creates exceptional stability and excellent feedback.
- Advanced silica compound ensures superior handling in wet conditions.





**WHEEL
DIAMETER
RANGE**

15" – 20"

LOAD ID

STD/XL

SIZE: _____

PRICE: _____



TERRA TRAC® AT X-JOURNEY

PREMIUM ALL-TERRAIN | ALL-SEASON



ON- & OFF-ROAD

- Sound Block Technology is designed to harmonize the tread lugs and create a sound barrier for a quiet comfortable ride.
- Tusk Grooves keep the tread clear of mud, dirt and stones for all-terrain traction.
- 3 Peak Mountain Snowflake Certified, these tires meet performance criteria to be considered severe snow service rated.



Proudly made in the USA.





**WHEEL
DIAMETER
RANGE**

15" – 20"

LOAD ID

STD/C/E/F

SIZE: _____

PRICE: _____



TERRA TRAC® AT X-VENTURE

PREMIUM ALL-TERRAIN | ALL-SEASON



ON- & OFF-ROAD

- Sound Block Technology is designed to harmonize the tread lugs and create a sound barrier for a quiet comfortable ride.
- Tusk Grooves keep the tread clear of mud, dirt and stones for all-terrain traction.
- 3 Peak Mountain Snowflake Certified, these tires meet performance criteria to be considered severe snow service rated.



Proudly made in the USA.





**WHEEL
DIAMETER
RANGE**

15" – 20"

LOAD ID

C/D/E

SIZE: _____

PRICE: _____



TERRA TRAC® T/G MAX

PREMIUM COMMERCIAL TRACTION | ALL-SEASON



ON- & OFF-ROAD

- Robust, silica-based compound and optimized void-to-rubber ratio provide exceptional cut and chip resistance.
- Aggressive upper shoulder design offers superior abrasion resistance.
- Stone ejector ribs help prevent stone drilling.
- Deep $18\frac{5}{32}$ " tread ensures dependable traction and grip, helping vehicles deliver maximum torque.



Proudly made in the USA.





**WHEEL
DIAMETER
RANGE**

15" – 20"

LOAD ID

C/D/E

SIZE: _____

PRICE: _____



TERRA TRAC® M/T

PREMIUM MUD TERRAIN | ALL-SEASON



ON- & OFF-ROAD

- Lower void-to-rubber ratio in the middle of the tread acts like a center rib to promote better handling and a quieter ride.
- High void-to-rubber ratio on the outside of the tire delivers extreme off-road traction.
- Aggressive open shoulder design features scalloped tread blocks for greater traction and mobility on soft surfaces.
- Deep siping improves wet traction and stud pins offer added winter traction and control.



Proudly Made in the USA.





WHEEL
DIAMETER
RANGE

15" – 18"

LOAD ID

C/D/E

SIZE:

PRICE:



TERRA TRAC® CH4

PREMIUM COMMERCIAL HIGHWAY | ALL-SEASON



- Equipped to endure the high torque and heavy loads critical to commercial applications.
- Purpose-built for high-scrub applications, including reinforced construction to protect the tire from cutting and curb damage.
- Optimized tread design and special polymer compound help withstand weather's worst during any season.
- Profile shape optimizes wear to withstand heavier loads.





**WHEEL
DIAMETER
RANGE**

15" – 20"

LOAD ID

XL/STD

SIZE: _____

PRICE: _____



TERRA TRAC® HPT

PREMIUM CUV/SUV/LT HIGHWAY | ALL-SEASON



- An optimized tread design reduces noise level and rolling resistance for a more enjoyable ride.
- Semi-open shoulder design improves overall traction performance for a greater grip.
- Heavy density siping and groove combination gains more traction in wet and winter conditions, while reduced stone retention extends treadlife.
- Maximized footprint reduces uneven wear for a smooth and steady ride.





UTV

ROAD HAZARD
PROTECTION

"TRUST OUR RIDE"
45 DAY TRIAL

WORKMANSHIP &
MATERIALS

TIS UT1 by Hercules

See complete Limited Protection Policy at herculestires.com.



**WHEEL
DIAMETER
RANGE**

14" – 15"

LOAD ID

D

SIZE: _____

PRICE: _____



TIS UT1 by Hercules

PREMIUM OFF-ROAD | ALL-SEASON



- Balanced void ratio and biting tread block edges offer excellent traction in a variety of surface elements
- Scalloped shoulder lug design with elongated stone ejectors reduces stone retention and drilling
- Deep and wide groove enhances traction performance and debris-cleaning capability
- Optimized tread design creates stability, handling and confidence during acceleration and braking
- Dual buttress with reinforced sidewall offers tough-as-nails, cost-effective customization



8 PLY/NHS





WINTER

ROAD HAZARD
PROTECTION

"TRUST OUR RIDE"
45 DAY TRIAL

TRACTION STANDARD

AVALANCHE RT

• • •

AVALANCHE XUV

• • •

AVALANCHE TT

• • •

See complete Limited Protection Policy at herculestires.com.



**WHEEL
DIAMETER
RANGE**

14" – 18"

SPEED RATING

T/H-Rated

SIZE: _____

PRICE: _____



AVALANCHE® RT

PREMIUM PASSENGER | STUDDABLE WINTER



- Exclusive Snow Grip Technology integrated features equip the Avalanche RT with serious cold-weather capabilities.
- A triple polymer, cold weather compound enhances overall traction, steering and handling in harsh winter weather.
- Thin-gauge sipes provide increased flexibility and biting edges for superior control.
- Saw-tooth shaped Snow-Grabber Grooves grab and hold snow in the tread to provide snow-on-snow traction.



AVALANCHE® XUV

PREMIUM SUV | STUDDABLE WINTER 



- Snow Grip Technology provides an array of cutting-edge features to help you accelerate faster and stop shorter when it matters most.
- Snow Grabber Grooves, are specifically designed to trap and hold snow.
- Thin-gauge sipes provide more contact with the road, giving you much needed confidence and greater grip in slippery situations.



**WHEEL
DIAMETER
RANGE**

18" – 20"

LOAD ID

STD/XL

SIZE: _____

PRICE: _____

AVALANCHE® TT

PREMIUM LIGHT TRUCK | STUDDABLE WINTER 



- Zig zag circumferential grooves hold snow in the tread for ideal snow-on-snow traction.
- Saw-tooth features of our Snow-Grabber Grooves hold snow in the tread to provide critical traction.
- Thin gauge, full-depth siping creates more biting edges to help grab snow and ice.
- Optional stud pins provide enhanced snow and ice traction.



**WHEEL
DIAMETER
RANGE**

16" – 22"

LOAD ID

D/E/STD/XL

SIZE: _____

PRICE: _____



A photograph of a dirt road stretching into the distance through a rural landscape. The road is flanked by tall grass and small trees. The sky is filled with soft, grey clouds.

ALL-STEEL LIGHT TRUCK

LIMITED
PROTECTION POLICY

WORKMANSHIP &
MATERIALS

H-901 LT

• •

H-702 LT

• •

See complete Limited Protection Policy at herculestires.com.

H-901 LT

COMMERCIAL LIGHT TRUCK | ALL-STEEL



- Active sipes improve traction and create biting edges that promote better grip on snowy roads.
- Tread design features a larger footprint to maximize road contact.
- Special tread compound provides exceptional wet handling and braking.
- Durable all-steel construction distributes forces of acceleration, cornering and braking for longer wear.

**WHEEL
DIAMETER
RANGE**

16"

LOAD ID

F/G

SIZE: _____**PRICE:** _____

SPECIALTY TRAILER

LIMITED
PROTECTION POLICYWORKMANSHIP &
MATERIALS

H-901 ST

• •

POWER ST2

• •

LOW-PRO H-D

• •

See complete Limited Protection Policy at herculestires.com.

H-901ST

COMMERCIAL SPECIALTY TRAILER | ALL-STEEL



- Special tread compound provides exceptional wet handling and braking.
- Super high-tensile steel belts deliver maximum durability.
- Durable construction distributes forces of acceleration, cornering and braking for longer wear.
- Tread design features larger footprint and more biting edges for better grip in snow.



**WHEEL
DIAMETER
RANGE**

15" – 16"

LOAD ID

F/G

SIZE: _____

PRICE: _____

STRONG GUARD ST

RADIAL-PLY | SPECIALTY TRAILER



- Four circumferential grooves coupled with a strong center rib allows for efficient water channeling and straight-line tracking.
- High tensile steel belts reinforced with two jointless spiral cap plies supports higher loads with stability, durability and heat resistance.
- Increased speed rating to "N" (87MPH) to meet the evolving demands of today's vehicles.
- Sidewall curb protector provides extra protection for all the unexpected tight turns.



**WHEEL
DIAMETER
RANGE**

13" – 16"

LOAD ID

C/D/E/F

SIZE: _____

PRICE: _____



LOW-PRO H-D

BIAS-PLY | HEAVY DUTY TRAILER



- Designed exclusively for towed low-platform trailer applications.
- ST metric sizing replaces sizes 7-14.5, 8-14.5 and 9-14.5.
- Rigid bias construction promotes optimum stability and durability.



**WHEEL
DIAMETER
RANGE**

14.5"

LOAD ID

F/G

SIZE:

PRICE:



LOAD INDEX TABLE

LI	KG	LBS	LI	KG	LBS
65	290.0	639.3	90	600.0	1322.8
66	300.0	661.4	91	615.0	1355.8
67	307.0	676.8	92	630.0	1388.9
68	315.0	694.4	93	650.0	1433.0
69	325.0	716.5	94	670.0	1477.1
70	335.0	738.5	95	690.0	1521.2
71	345.0	760.6	96	710.0	1565.3
72	355.0	782.6	97	730.0	1609.3
73	365.0	804.7	98	750.0	1653.4
74	375.0	826.7	99	775.0	1708.6
75	387.0	853.2	100	800.0	1763.7
76	400.0	881.8	101	825.0	1818.8
77	412.0	908.3	102	850.0	1873.9
78	425.0	936.9	103	875.0	1929.0
79	437.0	963.4	104	900.0	1984.1
80	450.0	992.1	105	925.0	2039.2
81	462.0	1018.5	106	950.0	2094.4
82	475.0	1047.2	107	975.0	2149.5
83	487.0	1073.6	108	1000.0	2204.6
84	500.0	1102.3	109	1030.0	2270.7
85	515.0	1135.4	110	1060.0	2336.9
86	530.0	1168.4	111	1090.0	2403.0
87	545.0	1201.5	112	1120.0	2469.1
88	560.0	1234.6	113	1150.0	2535.3
89	580.0	1278.7	114	1180.0	2601.4

LOAD INDEX TABLE		
LI	KG	LBS
115	1215.0	2678.6
116	1250.0	2755.7
117	1285.0	2832.9
118	1320.0	2910.1
119	1360.0	2998.2
120	1400.0	3086.4
121	1450.0	3196.6
122	1500.0	3306.9
123	1550.0	3417.1
124	1600.0	3527.3
125	1650.0	3637.6
126	1700.0	3747.8
127	1750.0	3858.0
128	1800.0	3968.3
129	1850.0	4078.5
130	1900.0	4188.7
131	1950.0	4298.9
132	2000.0	4409.2
133	2060.0	4541.4
134	2120.0	4673.7
135	2180.0	4806.0
136	2240.0	4938.3
137	2300.0	5070.5
138	2360.0	5202.8
139	2430.0	5357.1

In no event shall we be liable for lost profits or any special, incidental, indirect, consequential or reliance damages arising out of or in connection with this sizing tool or our services, under any legal theory, even if we have been advised of the possibility of such damages and notwithstanding the failure of essential purposes of any limited remedy.

SPEED SYMBOLS		
SPEED SYMBOL	MAX SPEED (KPH)	MAX SPEED (MPH)
B	50	31
C	60	37
D	65	40
E	70	43
F	80	50
G	90	56
J	100	62
K	110	68
L	120	75
M	130	81
N	140	87
P	150	94
Q	160	100
R	170	106
S	180	112
T	190	118
U	200	124
H	210	130
V	240	149
W	270	169
Y	300	186
ZR	OVER 240	OVER 149

In no event shall we be liable for lost profits or any special, incidental, indirect, consequential or reliance damages arising out of or in connection with this sizing tool or our services, under any legal theory, even if we have been advised of the possibility of such damages and notwithstanding the failure of essential purposes of any limited remedy.

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
RAPTIS® R-T5				
17	91406	215/55ZR17	98W	XL BSW
	91407	225/55ZR17	101W	XL BSW
	91409	235/55ZR17	99W	STD BSW
	91410	205/50ZR17	93W	XL BSW
	91411	215/50ZR17	95W	XL BSW
	91412.1	225/50ZR17	98W	XL BSW
	91413	235/50ZR17	100W	XL BSW
	91414	215/45ZR17	91W	XL BSW
	91415	225/45ZR17	94W	XL BSW
	91416	235/45ZR17	97W	XL BSW
	91417	245/45ZR17	99W	XL BSW
	91418	205/40ZR17	84W	XL BSW
	91419	245/40ZR17	95W	XL BSW
	91420	255/40ZR17	98W	XL BSW
18	91408	235/55ZR18	104W	XL BSW
	91421	225/50ZR18	95W	STD BSW
	91422	235/50ZR18	101W	XL BSW
	91423.2	215/45ZR18	93W	XL BSW
	91424	225/45ZR18	95W	XL BSW
	91425	235/45ZR18	98W	XL BSW
	91426.1	245/45ZR18	100W	XL BSW
	91427	255/45ZR18	103W	XL BSW
	91428	225/40ZR18	92W	XL BSW
	91429	235/40ZR18	95W	XL BSW
	91430	245/40ZR18	97W	XL BSW
	94664	255/40ZR18	99W	XL BSW
	91431	255/35ZR18	90W	STD BSW
	94665	265/35ZR18	97W	XL BSW
	94666	275/35ZR18	99W	XL BSW
19	91432	225/45ZR19	96W	XL BSW
	91433	245/45ZR19	98W	STD BSW
	91434	245/40ZR19	94W	STD BSW
	91435	255/40ZR19	100W	XL BSW
	94667	275/40ZR19	105W	XL BSW
	91436	235/35ZR19	91W	XL BSW
	91437	245/35ZR19	93W	XL BSW
	91438	255/35ZR19	96W	XL BSW
	94668	275/35ZR19	100W	XL BSW
20	91439	245/45ZR20	103W	XL BSW
	91440	255/45ZR20	101W	STD BSW
	91441	245/40ZR20	99W	XL BSW
	94669	275/40ZR20	106W	XL BSW
	94670	245/35ZR20	95W	XL BSW
	91442	255/35ZR20	97W	XL BSW
	91443	275/35ZR20	102W	XL BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
H/P 4000				
14	02824	P215/70R14	96T	STD RWL
	02826	P225/70R14	98T	STD RWL
	02782	P235/60R14	96T	STD RWL
	02828	P215/70R15	97T	STD RWL
	02830	P225/70R15	100T	STD RWL
	02832	P235/70R15	102T	STD RWL
	02834	P255/70R15	108T	STD RWL
	02798	P215/65R15	95T	STD RWL
	02790	P235/60R15	98T	STD RWL
	02792	P245/60R15	100T	STD RWL
	02794	P255/60R15	102T	STD RWL
	02796	P275/60R15	107T	STD RWL
	02770.2	P295/50R15	105S	STD RWL

ITEM #		TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
ROADTOUR® 855 SPE					
15	06010	195/65R15	91H	STD	BSW
	06015	195/60R15	88H	STD	BSW
	06135	205/65R16	95H	STD	BSW
	06155	215/65R16	98H	STD	BSW
	06085	225/65R16	100T	STD	BSW
16	06120	205/60R16	92V	STD	BSW
	06025	215/60R16	95H	STD	BSW
	06030	225/60R16	98H	STD	BSW
	06075	205/55R16	91V	STD	BSW
	06020	215/55R16	93H	STD	BSW
	06110	215/65R17	99T	STD	BSW
	06115	225/65R17	102T	STD	BSW
	06095	235/65R17	104T	STD	BSW
	06150	215/60R17	96H	STD	BSW
17	06160	225/60R17	99H	STD	BSW
	06105	235/60R17	102T	STD	BSW
	06055	215/55R17	94V	STD	BSW
	06060	225/55R17	97V	STD	BSW
	06065	235/55R17	99H	STD	BSW
	06165	205/50R17	93V	XL	BSW
	06170	215/50R17	95V	XL	BSW
	06045	225/50R17	94V	STD	BSW
	06050	235/50R17	96V	STD	BSW
	06140	245/50R17	99V	STD	BSW
	06028	215/45R17	91V	XL	BSW
	06038	225/45R17	91H	STD	BSW
18	06040	225/60R18	100H	STD	BSW
	06130	215/55R18	95H	STD	BSW
	06035	225/55R18	98H	STD	BSW
	06180	235/55R18	104V	XL	BSW
	06100	225/50R18	95T	STD	BSW
	06070	235/50R18	97V	STD	BSW
	06185	225/45R18	95V	XL	BSW
	06125	235/45R18	94V	STD	BSW
	06175	245/45R18	100V	XL	BSW
	06087	235/40R19	96V	XL	BSW
	06148	245/50R20	102H	STD	BSW
19	06181	255/50R20	109V	XL	BSW

ITEM #		TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
ROADTOUR® 655 MRE					
14	07004	185/65R14	86T	STD	BSW
	07035.1	205/70R15	96T	STD	BSW
	07045	215/65R15	96T	STD	BSW
	07060	215/70R15	98T	STD	BSW
	07100.1	175/65R15	84H	STD	BSW
15	07015	185/65R15	88T	STD	BSW
	07020	195/65R15	91T	STD	BSW
	07030.1	205/65R15	94T	STD	BSW
	07005	185/60R15	84T	STD	BSW
	07105	195/60R15	88H	STD	BSW
	07110	205/60R15	91H	STD	BSW
	07120.1	205/65R16	95H	STD	BSW
	07050	215/65R16	98T	STD	BSW
	07080	225/65R16	100T	STD	BSW
	07090	235/65R16	103T	STD	BSW
16	07115	205/60R16	92H	STD	BSW
	07040	215/60R16	95T	STD	BSW
	07070	225/60R16	98T	STD	BSW
	07140.1	195/55R16	87V	STD	BSW
	07025.2	205/55R16	91T	STD	BSW
	07019	215/60R17	96T	STD	BSW
	07055	215/65R17	99T	STD	BSW
	07085	225/65R17	102T	STD	BSW
	07095	235/65R17	104T	STD	BSW
	07075.1	225/60R17	99T	STD	BSW
	07139	235/60R17	102T	STD	BSW
	07145.1	215/55R17	94V	STD	BSW
	07130.1	225/55R17	97H	STD	BSW
	07150.1	225/50R17	94V	STD	BSW
	07135	225/55R18	98H	STD	BSW
17	07004	225/60R18	100H	STD	BSW
	07155	235/55R18	100V	STD	BSW
	07065	225/50R18	95T	STD	BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
ROADTOUR® 455				
14	05010	205/75R14	95T	STD BSW
	05075	185/70R14	88T	STD BSW
	05080	195/70R14	91T	STD BSW
	05035	185/65R14	86H	STD BSW
	05015	205/75R15	97T	STD BSW
	05020	215/75R15	100T	STD BSW
	05025	235/75R15	105T	STD BSW
	05090	205/70R15	96T	STD BSW
	05140	215/70R15	98T	STD BSW
15	05040	185/65R15	88H	STD BSW
	05050	195/65R15	91H	STD BSW
	05175	205/65R15	94H	STD BSW
	05070	215/65R15	96H	STD BSW
	05030	185/60R15	84H	STD BSW
	05045	195/60R15	88H	STD BSW
	05060	205/60R15	91H	STD BSW
	05065	215/60R15	94H	STD BSW
	05145	215/70R16	100T	STD BSW
	05095	215/65R16	98T	STD BSW
	05165	235/65R16	103T	STD BSW
16	05085	205/60R16	92T	STD BSW
	05009	205/65R16	95H	STD BSW
	05215	215/60R16	95H	STD BSW
	05235	225/60R16	98H	STD BSW
	05055	205/55R16	91H	STD BSW
	05120	215/65R17	99T	STD BSW
	05170	235/65R17	104T	STD BSW
	05240	225/60R17	99H	STD BSW
	05041	225/65R17	102H	STD BSW
	05160	235/60R17	102T	STD BSW
	05185	215/55R17	94H	STD BSW
	05245	235/55R17	99H	STD BSW
	05250	225/60R18	100H	STD BSW
18	05255	225/55R18	98H	STD BSW
	05265	235/55R18	100H	STD BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
ROADTOUR® 455 SPORT				
17	05230	225/55R17	97V	STD BSW
	05180	215/50R17	95V	XL BSW
	05220	225/50R17	94V	STD BSW
	05270	235/50R18	97V	STD BSW
	05198	225/45R18	91V	STD BSW
18	05213	235/45R18	94V	STD BSW
	05301	245/45R18	100V	XL BSW
	05275	255/45R19	100V	STD BSW
TERRA TRAC® CROSS-V™				
SUV SIZES				
16	88331	245/75R16	111T	STD BSW
	88332	235/70R16	106T	STD BSW
	88333	245/70R16	107T	STD BSW
	88334	255/70R16	111T	STD BSW
	88335	265/70R16	112T	STD BSW
	88336.1	235/70R17	111T	XL BSW
	88337	245/70R17	110T	STD BSW
	88338	265/70R17	115T	STD BSW
17	88339	225/65R17	102H	STD BSW
	88340	235/65R17	104H	STD BSW
	88341	245/65R17	107T	STD BSW
	88342.1	265/65R17	112T	STD BSW
	88343	255/70R18	113T	STD BSW
	94650	265/70R18	116T	STD BSW
	98063	235/55R18	100V	STD BSW
	88344	235/65R18	106H	STD BSW
	88345	255/65R18	111T	STD BSW
18	88346	265/65R18	114T	STD BSW
	88347	275/65R18	116T	STD BSW
	88348	235/60R18	107H	XL BSW
	88349	245/60R18	105H	STD BSW
	94649	265/60R18	110T	STD BSW
	94648	255/55R18	109H	XL BSW
	98064	225/55R19	99V	STD BSW
	88350.1	255/60R19	109H	STD BSW
	98065	235/50R19	99V	STD BSW
	94651	235/55R19	105H	XL BSW
	88351	245/55R19	103T	STD BSW
19	96420	255/50R19	107V	XL BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
--------	-----------	---------------------	---------	----------

TERRA TRAC® CROSS-V™				
SUV SIZES				
20	88352	275/60R20	115T	STD BSW
96422.1	96422.1	235/55R20	102H	STD BSW
96423	96423	255/55R20	107H	STD BSW
88353	88353	275/55R20	117T	XL BSW
96419	96419	245/50R20	102H	STD BSW
96421	96421	255/50R20	105H	STD BSW
88354.1	88354.1	265/50R20	107V	STD BSW
96418	96418	285/45R22	114H	XL BSW
LT SIZES				
16	88355	LT215/85R16	115/112Q	E BSW
88358.1	88358.1	LT235/85R16	120/116Q	E BSW
88356	88356	LT225/75R16	115/112R	E BSW
88359	88359	LT245/75R16	120/116R	E BSW
88362	88362	LT265/75R16	123/120Q	E BSW
88357.1	88357.1	LT235/80R17	120/117R	E BSW
88360	88360	LT245/75R17	121/118S	E BSW
88361	88361	LT265/70R17	121/118R	E BSW

TERRA TRAC® AT X-JOURNEY				
SUV SIZES				
15	02803	235/75R15	109T	XL OWL
02557	02557	245/75R16	111T	STD BSW
02252	02252	235/70R16	106T	STD BSW
02584	02584	255/70R16	111T	STD BSW
02594	02594	265/70R16	112T	STD BSW
02636	02636	235/75R17	109T	STD BSW
02555	02555	245/70R17	110T	STD BSW
02596	02596	265/70R17	115T	STD BSW
02634	02634	225/65R17	102H	STD BSW
02656	02656	235/65R17	108H	XL BSW
02658	02658	245/65R17	111T	XL BSW
02652	02652	255/70R18	113T	STD BSW
02598	02598	265/70R18	116T	STD BSW
02592	02592	265/65R18	114T	STD BSW
02628	02628	275/65R18	116T	STD BSW
02650	02650	245/60R18	105H	STD BSW
02588	02588	265/60R18	110T	STD BSW
02624	02624	275/60R20	115T	STD BSW
02660	02660	275/55R20	117T	XL BSW
02664	02664	265/50R20	111T	XL BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
--------	-----------	---------------------	---------	----------

TERRA TRAC® AT X-VENTURE				
SUV SIZES				
16	02620	265/75R16	116T	STD BSW
02654	02654	255/75R17	115T	STD BSW
02586	02586	255/70R17	112T	STD BSW
02632	02632	P285/70R17	117T	STD BSW
02583	02583	255/65R17	110T	STD BSW
02590	02590	265/65R17	112T	STD BSW
LT SIZES				
15	02733	30X9.50R15	104R	C OWL
02736	02736	31X10.50R15	109R	C OWL
02708	02708	35X12.50R18	128Q	F RBL
02712	02712	35X12.50R20	125Q	F RBL
02801	02801	LT235/75R15	104/101R	C OWL
02666	02666	LT215/85R16	115/112R	E RBL
02672	02672	LT235/85R16	120/116R	E RBL
02668	02668	LT225/75R16	115/112R	E RBL
02716	02716	LT245/75R16	120/116R	E OWL
02724	02724	LT265/75R16	123/120R	E OWL
02697	02697	LT285/75R16	126/123R	E RBL
02730	02730	LT265/70R16	121/118R	E OWL
02670	02670	LT235/80R17	120/117R	E RBL
02718	02718	LT245/75R17	121/118S	E OWL
02674	02674	LT245/70R17	119/116S	E RBL
02722	02722	LT265/70R17	121/118S	E OWL
02678	02678	LT275/70R17	121/118R	E RBL
02695	02695	LT285/70R17	121/118S	E RBL
02699	02699	LT315/70R17	121/118S	E RBL
02685	02685	LT265/70R18	124/121S	E RBL
02728	02728	LT275/70R18	125/122S	E OWL
02676	02676	LT265/65R18	122/119R	E RBL
02726	02726	LT275/65R18	123/120S	E OWL
02693	02693	LT285/65R18	125/122S	E RBL
02687	02687	LT275/65R20	126/123S	E RBL
02683	02683	LT265/60R20	121/118R	E RBL
02704	02704	LT275/60R20	123/120S	E RBL
02706	02706	LT285/60R20	125/122S	E RBL
02701	02701	LT275/55R20	120/117S	E RBL
02689	02689	LT285/55R20	122/119R	E RBL
02714	02714	LT305/55R20	125/122Q	F RBL

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
TERRA TRAC® T/G MAX				
09070	31X10.50R15LT	109Q	C	OWL
09080	33X12.50R15LT	108Q	C	OWL
09001	35X12.50R20	125Q	F	BSW
09022	37X12.50R20	126Q	E	BSW
09022	37X12.50R20	126Q	E	BSW
09100	LT235/85R16	120/116Q	E	BSW
09120	LT245/75R16	120/116Q	E	BSW
09020	LT265/75R16	123/120Q	E	OWL
09040	LT285/75R16	126/123Q	E	OWL
09110	LT235/80R17	120/117Q	E	BSW
09060	LT245/75R17	121/118Q	E	OWL
09090	LT245/70R17	119/116Q	E	BSW
09030	LT265/70R17	121/118Q	E	OWL
09010	LT285/70R17	121/118Q	E	OWL
09062	LT285/75R17	121/118Q	E	BSW
09050	LT315/70R17	121/118Q	D	OWL
09150	LT275/70R18	125/122Q	E	OWL
09140	LT305/70R18	126/123Q	E	OWL
09075	LT275/65R18	123/120Q	E	OWL
09015	LT285/65R18	125/122Q	E	OWL
09012	LT295/70R18	129/126Q	E	BSW
09032	LT265/60R20	121/118Q	E	BSW
09042	LT275/55R20	120/117Q	E	BSW
09035	LT275/65R20	126/123Q	E	BSW
09081	LT285/55R20	122/119Q	E	BSW
09052	LT285/60R20	125/122Q	E	BSW
09055	LT305/55R20	121/118Q	E	BSW
09005	LT305/55R20	125/122Q	F	BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
TERRA TRAC® M/T				
08010.1	31X10.50R15LT	109Q	C	OWL
08020.2	33X12.50R15LT	108Q	C	OWL
08030.1	35X12.50R15LT	113Q	C	OWL
08050.1	37X12.50R17LT	124P	D	BSW
08040.1	35X12.50R20LT	121Q	E	BSW
08015.1	37X12.50R20LT	126P	E	BSW
08013.1	37X13.50R20LT	127Q	E	BSW
08060.1	LT235/85R16	120/116Q	E	BSW
08070.1	LT245/75R16	120/116Q	E	BSW
08090	LT265/75R16	123/120Q	E	OWL
08130	LT285/75R16	126/123Q	E	OWL
08210	LT315/75R16	127/124Q	E	OWL
08180	LT305/70R16	124/121Q	E	OWL
08120	LT285/70R17	121/118Q	E	OWL
08080.1	LT265/70R17	121/118Q	E	OWL
08150	LT295/70R17	121/118Q	E	OWL
08200.1	LT315/70R17	121/118Q	D	OWL
08170	LT305/65R17	121/118Q	E	OWL
08110	LT275/70R18	125/122Q	E	OWL
08100	LT275/65R18	123/120Q	E	OWL
08140	LT295/55R20	123/120P	E	BSW
08160	LT305/55R20	121/118Q	E	BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
TERRA TRAC® CH4				
96430	185/60R15C	94/92T	C	BSW
96431	195/75R16C	107/105R	D	BSW
96432	225/75R16C	121/120R	E	BSW
96433	235/65R16C	121/119R	E	BSW
96434	LT215/85R16	115/112R	E	BSW
98061	LT225/75R16	115/112R	E	BSW
96435	LT235/85R16	120/116R	E	BSW
96436	LT245/75R16	120/116S	E	BSW
96437	LT235/80R17	120/117R	E	BSW
96439	LT245/75R17	121/118S	E	BSW
96438.1	LT245/70R17	119/116R	E	BSW
96440	LT275/70R18	125/122R	E	BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
TERRA TRAC® HPT				
15	98181	235/75R15	109T	XL OWL
	98176	225/75R16	104T	STD OWL
	98182	235/75R16	108T	STD OWL
	98187	245/75R16	111T	STD OWL
	98194	265/75R16	116T	STD OWL
16	98173	215/70R16	100T	STD OWL
	98175	225/70R16	103T	STD OWL
	98180	235/70R16	106T	STD OWL
	98185	245/70R16	107T	STD OWL
	98189	255/70R16	111T	STD OWL
	98192	265/70R16	112T	STD OWL
17	98174	225/65R17	102H	STD OWL
	98178	235/65R17	104T	STD OWL
	98186	245/70R17	110T	STD OWL
	98193	265/70R17	115T	STD BSW
	98184	245/65R17	107T	STD BSW
	98191	265/65R17	112T	STD BSW
18	98188.1	255/65R18	111T	STD BSW
	98197	275/65R18	116T	STD BSW
	98190	265/60R18	110T	STD BSW
	98196	275/60R20	115H	STD BSW
	98195	275/55R20	117H	XL BSW

TIS UT1 BY HERCULES				
ITEM #	TIRE SIZE	NHS	D	RBL
14	98485	28X10.00R14/8	NHS	D RBL
	98486	30X10.00R14/8	NHS	D RBL
	98488	32X10.00R14/8	NHS	D RBL
15	98487	30X10.00R15/8	NHS	D RBL
	98489	32X10.00R15/8	NHS	D RBL
	98490	35X10.00R15/8	NHS	D RBL

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
AVALANCHE® RT				
15	02370	235/75R15	109T	XL BSW
	02220	205/70R15	96T	STD BSW
	02270	215/70R15	98T	STD BSW
	02112	175/65R15	84T	STD BSW
	02149	185/65R15	88T	STD BSW
	02152	195/65R15	95T	XL BSW
	02186	205/65R15	94T	STD BSW
	02125	185/60R15	88T	XL BSW
	02160	195/60R15	88T	STD BSW
	02511	215/70R16	100T	STD BSW
	02515	225/70R16	103T	STD BSW
	02517	235/70R16	106T	STD BSW
16	02201	205/65R16	95T	STD BSW
	02250	215/65R16	98T	STD BSW
	02310	225/65R16	100T	STD BSW
	02350	235/65R16	103T	STD BSW
	02182	205/60R16	92T	STD BSW
	02439	215/60R16	95H	STD BSW
	02470	225/60R16	98H	STD BSW
	02330	235/60R16	100T	STD BSW
	02400	205/55R16	94H	XL BSW
	02229	215/55R16	97T	XL BSW
	02260	215/65R17	99T	STD BSW
	02315	225/65R17	102T	STD BSW
	02360	235/65R17	104T	STD BSW
	02240	215/60R17	96T	STD BSW
	02300	225/60R17	99T	STD BSW
	02340	235/60R17	102T	STD BSW
17	02425	215/55R17	94H	STD BSW
	02290	225/55R17	97T	STD BSW
	02500	235/55R17	99H	STD BSW
	02380	205/50R17	93H	XL BSW
	02420	215/50R17	95H	XL BSW
	02461	225/50R17	94H	STD BSW
	02410	215/45R17	91H	XL BSW
	02280	225/45R17	94T	XL BSW
	02490	235/45R17	94H	STD BSW
	02513	235/65R18	106T	STD BSW
	02480	225/60R18	100H	STD BSW
	02514	235/60R18	103T	STD BSW
	02518	225/55R18	98T	STD BSW
18	02510	235/55R18	100H	STD BSW
	02519	235/50R18	97T	STD BSW
	02441	225/45R18XL	95H	XL BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
--------	-----------	---------------------	---------	----------

AVALANCHE® XUV

18	03131	265/65R18	114T	STD	BSW
19	03111	245/60R18	105T	STD	BSW
20	03130	265/60R18	110T	STD	BSW
19	03122	255/55R18	109T	XL	BSW
18	03112	235/55R19	105T	XL	BSW
19	03114	245/55R19	103T	STD	BSW
20	03124	255/50R19	107H	XL	BSW
18	03118	245/50R20	102T	STD	BSW
19	03121	255/50R20	109H	XL	BSW
20	03120	265/50R20	107H	STD	BSW

AVALANCHE® TT

16	01762	265/70R16	112T	STD	BSW
17	01770	235/65R16C	121/119R	E	BSW
18	01760	255/70R17	112T	STD	BSW
17	01763	265/70R17	115T	STD	BSW
18	01766	275/65R18	116T	STD	BSW
17	01765	275/60R20	115T	STD	BSW
18	01764	275/55R20	117T	XL	BSW
16	01767	285/45R22	114T	XL	BSW

16	01771	LT225/75R16	115/112Q	E	BSW
17	01774	LT245/75R16	120/116R	E	BSW
18	01779	LT265/75R16	123/120R	E	BSW
17	01785	LT285/75R16	126/123R	E	BSW
18	01772	LT235/80R17	120/117Q	E	BSW
17	01775	LT245/75R17	121/118Q	E	BSW
18	01773	LT245/70R17	119/116R	E	BSW
17	01777	LT265/70R17	121/118R	E	BSW
18	01778	LT265/70R18	124/121Q	E	BSW
17	01783	LT275/70R18	125/122R	E	BSW
18	01780	LT275/65R18	123/120R	E	BSW
17	01781	LT275/65R20	126/123R	E	BSW
18	01776	LT265/60R20	121/118R	E	BSW

ITEM #	TIRE SIZE	SERVICE DESCRIPTION	LOAD ID	SIDEWALL
--------	-----------	---------------------	---------	----------

H-901 LT

16	91994	LT225/75R16	119/116N TL	F	BSW
17	91212	LT235/85R16	126/123 L	G	BSW
18	91995	LT245/75R16	123/120N TL	F	BSW

H-901 ST

16	95135	ST225/75R15	121/118L	F	BSW
17	92875	ST225/90R16	129/124L	G	BSW
18	95134	ST235/85R16	132/127L	G	BSW
19	95133	ST235/80R16	129/125L	G	BSW

STRONG GUARD ST					
13	98492	ST175/80R13	91/87N	C	BSW
14	98493	ST205/75R14	105/101N	D	BSW
15	98494	ST215/75R14	102/98N	C	BSW
16	98495	ST205/75R15	107/102N	D	BSW
17	98496	ST225/75R15	117/112N	E	BSW
18	98497	ST235/80R16	124/120N	E	BSW
19	98498	ST235/85R16	128/124N	F	BSW

LOW-PRO H-D

14	95272	ST175/85D14.5	110L	F	BSW
15	95273.1	ST205/85D14.5	120L	G	BSW
16	95274	ST225/75D14.5	125L	G	BSW

NOTES

NOTES

NOTES

NOTES

US

CONSUMER RELATIONS: 800.677.9535

GENERAL INQUIRIES: info@herculestires.com

MAILING ADDRESS: The Hercules Tire & Rubber Company
12200 Herbert Wayne Ct, Ste 150
Huntersville, NC 28078 USA

CANADA

CUSTOMER SERVICE: 1.877.676.0007

MAILING ADDRESS: NTD – National Tire Distributors
Corporate Support Center
5035 South Service Road, 4th Floor
Burlington, ON L7L 6M9 CA

HERCULESTIRES.COM



HERCULES TIRES

Ride on our strength.

